



DueList Report

PC-12/47E

S/N 1576 N617EX

OWNER: PANORAMA INVESTMENTS LLC
ADDRESS: 101 NE 3RD AVENUE
FORT LAUDERDALE FL 33301
OFFICE: 954-315-2557
FAX:

OPERATOR: COMMONWEALTH OF
PENNSYLVANIA
ADDRESS: 171 EAST HERSHEY PARK DRIVE
HERSHEY PA 17033
OFFICE:
FAX:

OPERATOR: PA STATE POLICE
ADDRESS: 171 EAST HERSHEY PARK DRIVE
HERSHEY PA 17033
OFFICE: 717-508-0033
FAX: 717-508-0040

ANALYST: ANTHONY GUEVARA
EMAIL: AGUEVARA@CAMPSYSTEMS.COM

1-631-648-7028 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (FAX)

PROJECTED: 16.9 MOS. to 31-OCT-2026

AIRCRAFT	SERIAL / REGNO: 1576/N617EX	MODEL: PC-12/47E	MANUFACTURER: PILATUS AIRCRAFT LTDX
CERTIFICATION DATE: 19-NOV-2015		LAST ACTUALS:	PROJECTED:
		4100.8 A/C HRS as of 04-JUN-2025	4438.12
		4596 AFL as of 04-JUN-2025	4848
		877 ACH as of 03-JUN-2025	961
ENGINE NO. 1	SERIAL / PART: PCE-RY0559/3072955-01	MODEL: PT6A-67P	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
INSTALLED ON: 12-MAY-2025		LAST ACTUALS:	PROJECTED:
3861.5 ENG. HRS 4076 A/C HRS		3885.4 ENG. HRS as of 04-JUN-2025	4222.72
4323 ENC		4343 ENC as of 04-JUN-2025	4595
PROPELLER NO. 1	SERIAL / PART: SA1/HC-E5A-3A	MODEL: HC-E5A-3A	MANUFACTURER: HARTZELL PROPELLER LLC
INSTALLED ON: 02-NOV-2015		LAST ACTUALS:	PROJECTED:
0 PROP HRS 23.7 A/C HRS		4049.4 PROP HRS as of 04-JUN-2025	4386.72
0 PRC			



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
24C003A ^U TB40 LITHIUM-ION BATTERY VISUAL INSPECTION									
PN:6430040-1	MOS	12	03-Jun-24		03-Jun-25		OVD		12.1
SN:K23-11135	HRS		3569.8						531
	AFL		3938						658
REF:									
24C004A ^U TB40 LITHIUM-ION BATTERY SELF-LEARNING CAPACITY CALIBRATION									
PN:6430040-1	MOS	12	03-Jun-24		03-Jun-25		OVD		12.1
SN:K23-11135	HRS		3569.8						531
	AFL		3938						658
REF:									
00-00/45B AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (EXTERNAL)									
	MOS	6 (+10%/-10%)	14-Jan-25		14-Jul-25	01-Aug-25	39 d (+18)	14-Jul-2025(3)	4.7
	HRS		3997.9						102.9
	AFL		4490						106
REF: AMM 12-B-20-40-00-00A-901A-A									
05404A 600 HOUR OR 12 MONTHS INSPECTION									
	MOS	12 (+1m/-1m)	03-Aug-24		03-Aug-25	03-Sep-25	59 d (+31)	03-Aug-2025(2)	10.1
	HRS	600 (+60/-60)	3724.5		4324.5	4384.5	223.7 (+60)		376.3
	AFL		4145						451
REF: AMM 12-B-05-40-01-04A-000B-A									
27-50/437 INBOARD FLAP DRIVE ARMS - IN-SITU INSPECTION/CHECK									
	MOS	12 (+10%/-10%)	03-Aug-24		03-Aug-25	09-Sep-25	59 d (+37)	03-Aug-2025(2)	10.1
	HRS	600 (+10%/-10%)	3724.5		4324.5	4384.5	223.7 (+60)		376.3
	AFL		4145						451
Disposition: AIRWORTHINESS REF: AMM 12-B-27-51-00-00A-313A-A									
611010 NO. 1 PROPELLER - PERIODIC INSPECTION									
	MOS	12	03-Aug-24		03-Aug-25		59 d	03-Aug-2025(2)	10.1
	HRS	400	3700.8		(4100.8)4152.2		51.4		348.6
REF: POM 61-00-47									
611020 NO. 1 PROPELLER - LUBRICATE									
	MOS	12	03-Aug-24		03-Aug-25		59 d	03-Aug-2025(2)	10.1
	HRS	400	3700.8		(4100.8)4152.2		51.4		348.6
REF: POM 61-00-47									
611025 NO. 1 PROPELLER - APPLY CORROSION INHIBITOR TO STEEL COUNTERWEIGHTS									
	MOS	12	03-Aug-24		03-Aug-25		59 d	03-Aug-2025(2)	10.1
	HRS	400	3700.8		(4100.8)4152.2		51.4		348.6
REF: POM 61-00-47									



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
611120			NO. 1 PROPELLER - PERIODIC COIN-TAP INSPECTIONS FOR COMPOSITE BLADES - EROSION SHIELD SURFACE						Service ATA:61
	MOS	12	03-Aug-24		03-Aug-25		59 d	03-Aug-2025(2)	10.1
	HRS	600	3700.8		(4300.8)4352.2		251.4		348.6
			REF: POM 61-00-47, MRM 61-13-70						
611230			NO. 1 PROPELLER - DEICE SYSTEM 200 HOUR INSPECTION						Service ATA:61
	MOS	12	03-Aug-24		03-Aug-25		59 d	03-Aug-2025(2)	10.1
	HRS	600	3700.8		(4300.8)4352.2		251.4		348.6
			REF: MM 30-61-80						
05401A			300 HOUR INSPECTION						Package ATA:05
	MOS		06-Oct-24					04-Aug-2025	8
	HRS	300 (+30/-30)	3840.6		4140.6	4170.6	39.8 (+30)		260.2
	AFL		4303						293
			REF: AMM 12-B-05-40-01-01A-000B-A						
05402A			300 HOUR OR 12 MONTHS INSPECTION						Package ATA:05
	MOS	12 (+1m/-1m)	06-Oct-24		06-Oct-25	06-Nov-25	123 d (+31)	04-Aug-2025(2)	8
	HRS	300 (+30/-30)	3840.6		4140.6	4170.6	39.8 (+30)		260.2
	AFL		4303						293
			REF: AMM 12-B-05-40-01-02A-000B-A						
00-00/45A			AIRCRAFT - DO THE CORROSION AND CORROSION PROTECTION INSPECTIONS (INTERNAL)						Service ATA:20
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS		3840.6						260.2
	AFL		4303						293
			REF: AMM 12-B-20-40-00-00A-901A-A						
05405A			1200 HOUR OR 12 MONTH INSPECTION						Package ATA:05
	MOS	12	06-Oct-24		06-Oct-25		123 d	06-Oct-2025(2)	8
	HRS	1200 (+120/-120)	3840.6		5040.6	5160.6	939.8 (+120)		260.2
	AFL		4303						293
			REF: AMM 12-B-05-40-01-05A-000B-A						
20-CA/1			FUSELAGE BELLY DRAIN HOLE INSPECTION						Service ATA:20
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS	1200 (+10%/-10%)	3840.6		5040.6	5160.6	939.8 (+120)		260.2
	AFL		4303						293
			REF:						
21-20/317			ECS EMERGENCY SHUT-OFF SYSTEM - CHECK						Service ATA:21
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS	3000	3840.6		6840.6		2739.8		260.2
	AFL		4303						293

Disposition: AIRWORTHINESS

REF: GENERIC NO REF

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
21-30/318 PRESSURIZATION DUMP SWITCH MSN 1001-1719 - OPERATIONAL TEST									Service ATA:21
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS	3000	3840.6		6840.6		2739.8		260.2
	AFL		4303						293
Disposition: AIRWORTHINESS REF: AMM 12-B-21-30-00-00A-903A-A									
24-30/311 GENERATOR CONTROL UNIT, GCU 1- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION									Service ATA:24
PN:51538-002A	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:P3792	HRS	3000	3840.6		6840.6		2739.8		260.2
	AFL		4303						293
Disposition: AIRWORTHINESS REF: AMM 12-B-71-00-00-00A-903D-A									
24-30/311 GENERATOR CONTROL UNIT, GCU 2- FUNCTIONAL TEST OF OVER AND UNDER-VOLTAGE TRIP PROTECTION									Service ATA:24
PN:51538-002A	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:P3788	HRS	3000	3840.6		6840.6		2739.8		260.2
	AFL		4303						293
Disposition: AIRWORTHINESS REF: AMM 12-B-71-00-00-00A-903D-A									
24-50/70 EMERGENCY POWER SUPPLY - REMOVE AND CAP TEST									Service ATA:24
PN:501-1712-02	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:83374	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-24-52-51-00A-920A-A									
25-62/642 EXAMINE COPILOTS LIFE VEST									Service ATA:25
PN:P01074-209	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:15080940037	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642 EXAMINE NO. 1 LIFE VEST									Service ATA:25
PN:P01074-209	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:15080940070	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642 EXAMINE NO. 2 LIFE VEST									Service ATA:25
PN:P01074-209	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:15080940073	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
25-62/642		EXAMINE NO. 3 LIFE VEST							Service ATA:25
PN:P01074-209	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:15080940044	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642		EXAMINE NO. 4 LIFE VEST							Service ATA:25
PN:P01074-209	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:14080530042	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642		EXAMINE NO. 5 LIFE VEST							Service ATA:25
PN:P01074-207	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:22100410218	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642		EXAMINE NO. 6 LIFE VEST							Service ATA:25
PN:P01074-209	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:14080530045	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642		EXAMINE NO. 7 LIFE VEST							Service ATA:25
PN:P01074-209	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:15080940034	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642		EXAMINE NO. 8 LIFE VEST							Service ATA:25
PN:P01400-203W	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:23091520016	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									
25-62/642		EXAMINE PILOTS LIFE VEST							Service ATA:25
PN:P01074-209	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:15080940032	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-62-00-00A-310A-A									

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
258010 PERFORM EMERGENCY LOCATOR TRANSMITTER (ELT) 12-MONTHS INSPECTION - FAR 91.207 (D)									Service ATA:25
	MOS	12	06-Oct-24		06-Oct-25		123 d	06-Oct-2025(2)	8
	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-25-63-00-00A-903A-A									
26-20/24 COCKPIT FIRE EXTINGUISHER CONTENTS CHECK (EXCEPT MODEL P3APP003010D - P/N 959.08.06.224)									Service ATA:26
PN:BA51015R-5	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:124736	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-26-20-00-01A-289A-A									
27-40/1 HORIZONTAL STABILIZER TRIM - FUNCTIONAL TEST OF TRIM RUNAWAY AURAL WARNING SYSTEM (CMR)									Service ATA:27
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS	3000	3840.6		6840.6		2739.8		260.2
	AFL		4303						293
Disposition: AIRWORTHINESS REF: AMM 12-B-27-40-00-00A-903A-A									
27-40/574 DISCARD MANUAL PITCH TRIM RELAYS (P/N 974.20.01.221) K161D2 K161E2 ON LH RELAY PANEL A161									Service ATA:27
PN:974.20.01.221	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:UNKNOWN	HRS	1200 (+10%/-10%)	3840.6		5040.6	5160.6	939.8 (+120)		260.2
	AFL		4303						293
Disposition: DISCARD REF: GENERIC NO REF									
32-10/315 MAIN LANDING GEAR HINGE PIN AND BUSHES INSPECTION/CHECK									Service ATA:32
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS	2400 (+10%/-10%)	3840.6		6240.6	6480.6	2139.8 (+240)		260.2
	AFL		4303						293
REF: AMM 12-B-32-10-00-00A-313A-A, AMM 12-B-32-10-00-00A-313B-A									
32-10/436 EXAMINE MAIN LANDING GEAR SHOCK STRUTS TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS									Service ATA:32
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-32-10-00-00A-310B-A, AMM 12-B-32-10-00-00A-310A-A									
32-10/80 LUBRICATE LEFT MAIN LANDING GEAR WHEEL BEARINGS									Service ATA:32
PN:40-424	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:3245/3264	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-12-20-06-00A-902A-A									

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
32-10/80	LUBRICATE NOSE WHEEL BEARINGS								Service ATA:32
PN:40-423	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:1710/1710	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-12-20-06-00A-902A-A									
32-10/80	LUBRICATE RIGHT MAIN LANDING GEAR WHEEL BEARINGS								Service ATA:32
PN:40-424	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
SN:3286/3305	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-12-20-06-00A-902A-A									
32-30/424	OPERATIONAL TEST EMERGENCY GEAR EXTENSION SYSTEM - ELECTRO MECHANICAL LANDING GEAR ONLY								Service ATA:32
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS	2000	3840.6		5840.6		1739.8		260.2
	AFL		4303						293
REF: AMM 12-B-32-30-10-00A-903A-A									
32-30/426	FUNCTION TEST TIME DELAY RELAYS AND POWER CONTACTORS - ELECTRO MECHANICAL LANDING GEAR ONLY								Service ATA:32
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS	2000	3840.6		5840.6		1739.8		260.2
	AFL		4303						293
REF: AMM 12-B-32-30-08-00A-903A-A									
32-30/429	CHECK MAIN LANDING GEAR SPRING STRUT - LOOSEN AND MOVE THE SPRING STRUT COVER TO EXAMINE THE SPRINGS - ELECTRO MECHANICAL LANDING GEAR ONLY								Service ATA:32
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS	2000	3840.6		5840.6		1739.8		260.2
	AFL		4303						293
REF: AMM 12-B-32-10-06-00A-313A-A									
53-30/342	INSPECTION/CHECK STATIC PORTS CRITICAL AREA								Service ATA:53
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS		3840.6						260.2
	AFL		4303						293
REF: AMM 12-B-53-30-01-00A-313A-A									
76-10/117	FUNCTIONAL TEST PROPELLER FEATHERING MICROSWITCHES								Service ATA:76
	MOS	12 (+10%/-10%)	06-Oct-24		06-Oct-25	12-Nov-25	123 d (+37)	06-Oct-2025(2)	8
	HRS	3000 (+10%/-10%)	3840.6		6840.6	7140.6	2739.8 (+300)		260.2
	AFL		4303						293
REF: AMM 12-B-76-10-02-00A-903A-A									



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
05406A		2400 HOUR OR 24 MONTHS INSPECTION							Package ATA:05
	MOS	24 (+1m/-1m)	01-Nov-23		01-Nov-25	01-Dec-25	149 d (+30)	01-Nov-2025	19.1
	HRS	2400 (+60/-60)	3143.1		5543.1	5603.1	1442.3 (+60)		957.7
	AFL		3372						1224
REF: AMM 12-B-05-40-01-06A-000B-A									
27-50/495		BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	24 (+10%/-10%)	01-Nov-23		01-Nov-25	13-Jan-26	149 d (+73)	01-Nov-2025	19.1
SN:5415	HRS	2400 (+10%/-10%)	3143.1		5543.1	5783.1	1442.3 (+240)		957.7
	AFL	3200 (+10%/-10%)	3372		6572	6892	1976 (+320)		1224
REF: AMM 12-B-27-50-03-00A-313A-A									
27-50/495		BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	24 (+10%/-10%)	01-Nov-23		01-Nov-25	13-Jan-26	149 d (+73)	01-Nov-2025	19.1
SN:5425	HRS	2400 (+10%/-10%)	3143.1		5543.1	5783.1	1442.3 (+240)		957.7
	AFL	3200 (+10%/-10%)	3372		6572	6892	1976 (+320)		1224
REF: AMM 12-B-27-50-03-00A-313A-A									
27-50/495		BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	24 (+10%/-10%)	01-Nov-23		01-Nov-25	13-Jan-26	149 d (+73)	01-Nov-2025	19.1
SN:5391	HRS	2400 (+10%/-10%)	3143.1		5543.1	5783.1	1442.3 (+240)		957.7
	AFL	3200 (+10%/-10%)	3372		6572	6892	1976 (+320)		1224
REF: AMM 12-B-27-50-03-00A-313A-A									
27-50/495		BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR							Service ATA:27
PN:9787320309	MOS	24 (+10%/-10%)	01-Nov-23		01-Nov-25	13-Jan-26	149 d (+73)	01-Nov-2025	19.1
SN:5420	HRS	2400 (+10%/-10%)	3143.1		5543.1	5783.1	1442.3 (+240)		957.7
	AFL	3200 (+10%/-10%)	3372		6572	6892	1976 (+320)		1224
REF: AMM 12-B-27-50-03-00A-313A-A									
31-00/CFR		TEST/INSPECT COPILOT ALTIMETER (14 CFR 91.411)							Service ATA:31
	MOS	24	01-Nov-23		01-Nov-25		149 d	01-Nov-2025	19.1
	HRS		3143.1						957.7
	AFL		3372						1224
REF: GENERIC NO REF, CFR CFR 91.411									
31-00/CFR		TEST/INSPECT PILOT ALTIMETER (14 CFR 91.411)							Service ATA:31
	MOS	24	01-Nov-23		01-Nov-25		149 d	01-Nov-2025	19.1
	HRS		3143.1						957.7
	AFL		3372						1224
REF: GENERIC NO REF, CFR CFR 91.411									



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
34-11/343	INSPECTION/CHECK STATIC PORTS PLATE HEIGHT								Service ATA:34
	MOS	24 (+10%/-10%)	01-Nov-23		01-Nov-25	13-Jan-26	149 d (+73)	01-Nov-2025	19.1
	HRS		3143.1						957.7
	AFL		3372						1224
REF: AMM 12-B-34-11-12-00A-313A-A									
34-11/CFR	PERFORM LEAK CHECK OF STATIC SYSTEM (14 CFR 91.411)								Service ATA:34
	MOS	24	01-Nov-23		01-Nov-25		149 d	01-Nov-2025	19.1
	HRS		3143.1						957.7
	AFL		3372						1224
REF: GENERIC NO REF, CFR CFR 91.411									
34-25/344	FUNCTIONAL TEST ALTITUDE AND VERTICAL SPEED INDICATION (RVSM)								Service ATA:34
	MOS	24 (+10%/-10%)	01-Nov-23		01-Nov-25	13-Jan-26	149 d (+73)	01-Nov-2025	19.1
	HRS		3143.1						957.7
	AFL		3372						1224
REF: AMM 12-B-34-14-00-00A-903B-A									
34-26/484	CHECK SWING EIS MAGNETIC HEADING REFERENCE SYSTEM (IF INSTALLED)								Service ATA:34
	MOS	24 (+10%/-10%)	01-Nov-23		01-Nov-25	13-Jan-26	149 d (+73)	01-Nov-2025	19.1
	HRS		3143.1						957.7
	AFL		3372						1224
REF: AMM 12-B-34-26-40-00A-903B-A									
34-54/CFR	TEST/INSPECT NO. 1 TRANSPONDER SYSTEM (14 CFR 91.413)								Service ATA:34
	MOS	24	01-Nov-23		01-Nov-25		149 d	01-Nov-2025	19.1
	HRS		3143.1						957.7
	AFL		3372						1224
REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-A									
34-54/CFR	TEST/INSPECT NO. 2 TRANSPONDER SYSTEM (14 CFR 91.413)								Service ATA:34
	MOS	24	01-Nov-23		01-Nov-25		149 d	01-Nov-2025	19.1
	HRS		3143.1						957.7
	AFL		3372						1224
REF: AMM 12-B-34-54-00-00A-903A-A, AMM 12-B-34-54-00-00A-903B-A, AMM 12-B-34-54-10-00A-903A-A, AMM 12-B-34-54-10-00A-903B-A									
30-10/79	APPLY TO AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO.1								Service ATA:30
	MOS	6 (+10%/-10%)	12-May-25		12-Nov-25	30-Nov-25	160 d (+18)	12-Nov-2025(2)	.8
	HRS		4074.5						26.3
	AFL		4565						31
REF: GENERIC NO REF									

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
25-63/434 DISCARD ELT NAV INTERFACE UNIT SERIAL MEMORY MODULE (IF KANNAD 406 AF NAV INTERFACE UNIT INSTALLED)									Service ATA:25
PN:9851380881	MOS	120 (+6m/-6m)	19-Nov-15		19-Nov-25	19-May-26	167 d (+181)	19-Nov-2025	114.5
SN:LX1100144184	HRS	16000 (+500/-500)	0		16000	16500	11899.2 (+500)		4100.8
	AFL		0						4596
Disposition: DISCARD REF: GENERIC NO REF									
32-10/441 EXAMINE LEFT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS									Service ATA:32
	MOS	120	19-Nov-15		19-Nov-25		167 d	19-Nov-2025	114.5
	HRS		0						4100.8
	AFL		0						4596
REF: AMM 12-B-32-10-00-00A-310B-A									
32-10/441 EXAMINE RIGHT MAIN LANDING GEAR DRAG LINK TOP ATTACHMENT SHEAR BOLT, CAP, BOLT AND NUTS									Service ATA:32
	MOS	120	19-Nov-15		19-Nov-25		167 d	19-Nov-2025	114.5
	HRS		0						4100.8
	AFL		0						4596
REF: AMM 12-B-32-10-00-00A-310B-A									
56-11/332 INSPECTION/CHECK COCKPIT SIDE WINDOWS									Service ATA:56
	MOS	120 (+6m/-6m)	19-Nov-15		19-Nov-25	19-May-26	167 d (+181)	19-Nov-2025	114.5
	HRS	11000 (+500/-500)	0		11000	11500	6899.2 (+500)		4100.8
	AFL		0						4596
REF: AMM 12-B-56-11-02-00A-313A-A									
57-00/99 EXAMINE WING TO FUSELAGE ATTACHMENT FITTINGS WITH WINGS REMOVED									Service ATA:57
	MOS	120 (+6m/-6m)	19-Nov-15		19-Nov-25	19-May-26	167 d (+181)	19-Nov-2025	114.5
	HRS	11000 (+500/-500)	0		11000	11500	6899.2 (+500)		4100.8
	AFL		0						4596
REF: AMM 12-B-57-00-00-00A-313A-A									
710041 NO. 1 ENGINE - INSPECT POWER TURBINE BLADES									Service ATA:71
	MOS		17-Nov-14					26-Nov-2025	126.6
	HRS	T:4000 (+100/-100)	0		(4000)4215.4	4100	114.6 (+100)		3885.4
	ENC		0						4343
REF: EMM 72-00-00									
731095 NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) BELLOWS									Component ATA:73
PN:PN	MOS		17-Nov-14	TSN:0				26-Nov-2025	126.6
SN:UNKNOWN	HRS	4000	0	TSN:0	(4000)4215.4		114.6		3885.4
	ENC		0	TSN:0					4343
Disposition: LIFE LIMIT REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement)(EFF) - Effective C/W M-Manual Due (EBT) - Estimated Base Time



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
24C003B ^U TB40 LITHIUM-ION BATTERY VISUAL INSPECTION									
PN:6430040-1	MOS	12	09-Dec-24		09-Dec-25		187 d	09-Dec-2025	5.9
SN:K24-12022	HRS		3897.3						203.5
	AFL		4379						217
REF:									
24C004B ^U TB40 LITHIUM-ION BATTERY SELF-LEARNING CAPACITY CALIBRATION									
PN:6430040-1	MOS	12	09-Dec-24		09-Dec-25		187 d	09-Dec-2025	5.9
SN:K24-12022	HRS		3897.3						203.5
	AFL		4379						217
REF:									
28-20/32 OVERHAUL ENGINE DRIVEN PUMP									
PN:968.84.51.108	MOS		24-Oct-24					21-Mar-2026	7.4
SN:B5601	HRS	3500 (+10%/-10%)	3855.8	TAC:3064.2	4291.6	4641.6	190.8 (+350)		245
	AFL		4323						273
Disposition: OVERHAUL REF: AMM 12-B-28-20-03-00A-920A-A									
790031 NO. 1 ENGINE - CHECK MAGNETIC CHIP DETECTOR									
	MOS	12 (+10%)	09-Apr-25		09-Apr-26	15-May-26	308 d (+36)	09-Apr-2026	1.9
	HRS	300 (+10%)	3861.5		(4161.5)4376.9	4191.5	276.1 (+30)		23.9
	ENC		4323						20
REF: EMM 79-20-02									
790040 NO. 1 ENGINE - BRIDGE CHECK MAGNETIC CHIP DETECTOR									
	MOS	12 (+10%)	09-Apr-25		09-Apr-26	15-May-26	308 d (+36)	09-Apr-2026	1.9
	HRS	600 (+10%)	3861.5		(4461.5)4676.9	4521.5	576.1 (+60)		23.9
	ENC		4323						20
REF: EMM 79-20-02									
05403A 600 HOUR INSPECTION									
	MOS		03-Aug-24					10-May-2026	10.1
	HRS	600 (+60/-60)	3724.5		4324.5	4384.5	223.7 (+60)		376.3
	AFL		4145						451
REF: AMM 12-B-05-40-01-03A-000B-A									
35-20/459 OPERATIONAL TEST OF PASSENGER OXYGEN (PLUG-IN MASK) SYSTEM (IF INSTALLED)									
	MOS		03-Aug-24					10-May-2026	10.1
	HRS	600	3724.5		4324.5		223.7		376.3
	AFL		4145						451
REF: AMM 12-B-35-00-00-00A-903A-A									



Due List Report

Model: PC-12/47E Serial: 1576 RegNo: N617EX HRS: 4100.8 AFL: 4596 As Of: 04-Jun-2025 Operator: COMMONWEALTH OF PENNSYLVANIA

Report Date: 05-Jun-2025

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due	Time Accrued
790080	NO. 1 ENGINE - PERFORM AN OIL SAMPLE								Service ATA:79
	MOS		09-Apr-25					13-May-2026	1.9
	HRS	150 (+10%/-10%)	3861		(4111)4326.4	4126	225.6 (+15)		-75.6
	ENC								
				REF: EMM 79-20-02					
057010	NO. 1 ENGINE - MINOR INSPECTION								Package ATA:05
	MOS		09-Apr-25					29-Jul-2026	1.9
	HRS	300 (+10%/-10%)	3861.5		(4161.5)4376.9	4191.5	276.1 (+30)		23.9
	ENC		4323						20
				REF: EMM 72-00-00					
710019	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE								Service ATA:71
	MOS		09-Apr-25					29-Jul-2026	1.9
	HRS	300 (+10%/-10%)	3861.5		(4161.5)4376.9	4191.5	276.1 (+30)		23.9
	ENC		4323						20
				REF: EMM 72-30-05					
731100	NO. 1 ENGINE - CLEAN P3 FILTER								Service ATA:73
	MOS		09-Apr-25					29-Jul-2026	1.9
	HRS	300 (+10%/-10%)	3861.5		(4161.5)4376.9	4191.5	276.1 (+30)		23.9
	ENC		4323						20
				REF: EMM 73-10-07					
761011	NO. 1 ENGINE - DEPENDING ON OPERATING CONDITIONS AND ENVIRONMENT, EXAMINE LINKAGES AT REGULAR INTERVALS								Service ATA:76
	MOS		09-Apr-25					29-Jul-2026	1.9
	HRS	300 (+10%/-10%)	3861.5		(4161.5)4376.9	4191.5	276.1 (+30)		23.9
	ENC		4323						20
				REF: EMM 72-00-00					
790060	NO. 1 ENGINE - INSPECT CLEAN OIL FILTER ELEMENT AND SECONDARY SCREEN								Service ATA:79
	MOS		09-Apr-25					29-Jul-2026	1.9
	HRS	300 (+10%/-10%)	3861.5		(4161.5)4376.9	4191.5	276.1 (+30)		23.9
	ENC		4323						20
				REF: EMM 79-20-02					